

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspal611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

| | | | |
|------|----|--------|--|
| NEWS | 1 | | Web Page for STN Seminar Schedule - N. America |
| NEWS | 2 | AUG 06 | CAS REGISTRY enhanced with new experimental property tags |
| NEWS | 3 | AUG 06 | FSTA enhanced with new thesaurus edition |
| NEWS | 4 | AUG 13 | CA/CAPLUS enhanced with additional kind codes for granted patents |
| NEWS | 5 | AUG 20 | CA/CAPLUS enhanced with CAS indexing in pre-1907 records |
| NEWS | 6 | AUG 27 | Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB |
| NEWS | 7 | AUG 27 | USPATOLD now available on STN |
| NEWS | 8 | AUG 28 | CAS REGISTRY enhanced with additional experimental spectral property data |
| NEWS | 9 | SEP 07 | STN AnaVist, Version 2.0, now available with Derwent World Patents Index |
| NEWS | 10 | SEP 13 | FORIS renamed to SOFIS |
| NEWS | 11 | SEP 13 | INPADOCDB enhanced with monthly SDI frequency |
| NEWS | 12 | SEP 17 | CA/CAPLUS enhanced with printed CA page images from 1967-1998 |
| NEWS | 13 | SEP 17 | CAPLUS coverage extended to include traditional medicine patents |
| NEWS | 14 | SEP 24 | EMBASE, EMBAL, and LEMBASE reloaded with enhancements |
| NEWS | 15 | OCT 02 | CA/CAPLUS enhanced with pre-1907 records from Chemisches Zentralblatt |
| NEWS | 16 | OCT 19 | BEILSTEIN updated with new compounds |
| NEWS | 17 | NOV 15 | Derwent Indian patent publication number format enhanced |
| NEWS | 18 | NOV 19 | WPIX enhanced with XML display format |
| NEWS | 19 | NOV 30 | ICSD reloaded with enhancements |
| NEWS | 20 | DEC 04 | LINPADOCDB now available on STN |
| NEWS | 21 | DEC 14 | BEILSTEIN pricing structure to change |
| NEWS | 22 | DEC 17 | USPATOLD added to additional database clusters |
| NEWS | 23 | DEC 17 | IMSDRUGCONF removed from database clusters and STN |
| NEWS | 24 | DEC 17 | DGENE now includes more than 10 million sequences |
| NEWS | 25 | DEC 17 | TOXCENTER enhanced with 2008 MeSH vocabulary in MEDLINE segment |
| NEWS | 26 | DEC 17 | MEDLINE and LMEEDLINE updated with 2008 MeSH vocabulary |
| NEWS | 27 | DEC 17 | CA/CAPLUS enhanced with new custom IPC display formats |
| NEWS | 28 | DEC 17 | STN Viewer enhanced with full-text patent content from USPATOLD |
| NEWS | 29 | JAN 02 | STN pricing information for 2008 now available |
| NEWS | 30 | JAN 16 | CAS patent coverage enhanced to include exemplified prophetic substances |
| NEWS | 31 | JAN 28 | USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats |
| NEWS | 32 | JAN 28 | MARPAT searching enhanced |
| NEWS | 33 | JAN 28 | USGENE timeliness enhanced |

10/539,931

NEWS 34 JAN 28 TOXCENTER enhanced with reloaded MEDLINE segment
NEWS 35 JAN 28 MEDLINE and LMEDLINE reloaded with enhancements

NEWS EXPRESS 19 SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 08:50:15 ON 28 JAN 2008

| | | |
|----------------------|------------|---------|
| => file reg | | |
| COST IN U.S. DOLLARS | SINCE FILE | TOTAL |
| | ENTRY | SESSION |
| FULL ESTIMATED COST | 0.21 | 0.21 |

FILE 'REGISTRY' ENTERED AT 08:50:32 ON 28 JAN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 27 JAN 2008 HIGHEST RN 1000849-38-6
DICTIONARY FILE UPDATES: 27 JAN 2008 HIGHEST RN 1000849-38-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>
Uploading C:\Program Files\Stnexp\Queries\10539931.str



```

chain nodes :
12 14 15 16 17 18 25 26 27 28 29 30 31 32 33 35 36 42 49 50 52
53 55
ring nodes :
1 2 3 4 5 6 7 8 9 10 19 20 21 22 23 24 34 37 38 39 40 41
chain bonds :
7-55 14-15 14-16 15-17 15-18 15-19 22-25 25-49 26-27 28-29 28-30 32-33
32-36 33-34 33-35 39-42 42-50 49-52 50-53
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 19-20 19-24 20-21 21-22
22-23 23-24 34-37 34-41 37-38 38-39 39-40 40-41
exact/norm bonds :
3-4 4-5 7-55 14-15 14-16 15-17 15-18 15-19 19-20 19-24 20-21 21-22
22-23 22-25 23-24 25-49 26-27 28-29 28-30 32-33 32-36 33-34 33-35 34-37
34-41 37-38 38-39 39-40 39-42 40-41 42-50 49-52 50-53
normalized bonds :
1-2 1-6 2-3 5-6 5-7 6-10 7-8 8-9 9-10
isolated ring systems :
containing 1 : 19 : 34 :

```

G1:C,N

G2:[*1],[*2],[*3]

G3:[*4],[*5]

Match level :

```

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
12:CLASS 13:Atom 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:Atom
20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:CLASS 26:CLASS 27:CLASS 28:CLASS
29:CLASS 30:CLASS 31:CLASS 32:CLASS 33:CLASS 34:Atom 35:CLASS 36:CLASS
37:Atom 38:Atom 39:Atom 40:Atom 41:Atom 42:CLASS 49:CLASS 50:CLASS 52:Atom
53:Atom 55:CLASS
Generic attributes :

```

10/539,931

52:
Type of Ring System : Polycyclic
53:
Type of Ring System : Polycyclic

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam
SAMPLE SEARCH INITIATED 08:51:03 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 127 TO ITERATE

100.0% PROCESSED 127 ITERATIONS 19 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 1864 TO 3216
PROJECTED ANSWERS: 119 TO 641


L2 19 SEA SSS SAM L1

=> d scan

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-3-oxo-
MF C24 H25 F N6 O4 S
CI COM

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):18

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, trihydrochloride (9CI)
MF C25 H28 Cl N5 O3 S . 3 Cl H

Absolute stereochemistry.



● 3 HCl

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN


IN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[(3R,4S)-1-[2-(3,8-difluoro-6-

methoxy-4-quinoliny)ethyl]-3-fluoro-4-piperidiny]-2,3-dihydro-, rel-(+)-

MF C25 H27 F3 N4 O3

CI COM

Rotation (+). Absolute stereochemistry unknown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(6,8-difluoro-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-
MF C24 H24 F3 N5 O S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-4-quinoliny)-2-hydroxyethyl]-4-piperidiny]amino]methyl]-, dihydrochloride, (-)- (9CI)

MF C25 H28 F N5 O4 . 2 Cl H

Rotation (-).




● 2 HCl

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidiny]amino]methyl]-, dihydrochloride (9Cl)
MF C25 H28 Cl N5 O3 S . 2 Cl H


Absolute stereochemistry.



● 2 HCl

10/539,931


```
L2 19 ANSWERS  REGISTRY  COPYRIGHT 2008 ACS on STN
IN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-6-methoxy-1,5-
naphthylidin-4-yl)ethyl]-4-piperidinyl]-2,3-dihydro-, 6-oxide
CF C24 H28 Cl N5 O4
MI COM
```



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3,8-difluoro-6-
methoxy-4-quinoliny)ethyl]-4-piperidinyl]-3,4-dihydro-N-methyl-3-oxo-
MF C26 H27 F2 N5 O3 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 3-Piperidinol, 1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-
[([1,3]oxathio[5,4-c]pyridin-6-ylmethyl)amino]-, dihydrochloride,
(3R,4S)- (9CI)
MF C23 H26 F N5 O3 S . 2 Cl H

Absolute stereochemistry.




● 2 HCl

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9Cl)
MF C25 H28 Cl N5 O3 S . 2 Cl H

Absolute stereochemistry.




● 2 HCl

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN 4-Piperidinecarboxamide, 1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, dihydrochloride (9CI)

MF C25 H29 Cl N6 O4 . 2 Cl H



● 2 HCl

10/539,931


L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN 2H-Pyrido[3,2-b]-1,4-oxazine-6-carboxamide, N-[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-

MF C24 H25 F N6 O5

CI COM

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN 2H-Pyrido[3,2-b]-1,4-oxazine-6-carboxamide, N-[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-3-oxo-, monohydrochloride (9CI)

MF C24 H25 F N6 O5 . Cl H

Absolute stereochemistry.




● HCl

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-4-quinoliny)ethyl]-3-hydroxy-4-piperidiny]amino]methyl]-, dihydrochloride (9CI)
MF C25 H28 Cl N5 O4 . 2 Cl H


Absolute stereochemistry.



● 2 HCl

10/539,931


L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-6-fluoro-4-
quinolinyl)ethyl]-4-piperidinyl]-2,3-dihydro-
MF C24 H26 Cl F N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 2H-Pyrido[3,2-b]-1,4-thiazine-6-methanamine, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-3,4-dihydro-
MF C25 H30 F N5 O S
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidiny]amino]methyl]-, dihydrochloride (9CI)
MF C25 H27 F2 N5 O4 . 2 Cl H

Absolute stereochemistry.




● 2 HCl

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-
fluoro-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-
MF C24 H25 Cl F N5 O2 S
CI COM

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/539,931

L2 19 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN 1,5-Naphthyridine-4-methanol, 3-chloro- α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidiny]methyl]-6-methoxy-, dihydrochloride (9CI)

MF C24 H28 Cl N5 O4 . 2 Cl H



● 2 HCl

ALL ANSWERS HAVE BEEN SCANNED

10/539,931

=> s l1 sss ful
FULL SEARCH INITIATED 08:51:38 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 2577 TO ITERATE

100.0% PROCESSED 2577 ITERATIONS 379 ANSWERS
SEARCH TIME: 00.00.01

L3 379 SEA SSS FUL L1

| => file caplus | | |
|----------------------|------------|---------|
| COST IN U.S. DOLLARS | SINCE FILE | TOTAL |
| | ENTRY | SESSION |
| FULL ESTIMATED COST | 178.82 | 179.03 |

FILE 'CAPLUS' ENTERED AT 08:51:45 ON 28 JAN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Jan 2008 VOL 148 ISS 5
FILE LAST UPDATED: 27 Jan 2008 (20080127/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l3
L4 4 L3
=> d l4 1-4 bib hitstr

L4 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2007:150178 CAPLUS
 DN 146:229364
 TI Preparation of quinoline, quinoxaline and naphthyridine derivatives as
 antibacterial agents
 IN Daines, Robert A.; Price, Alan T.
 PA Glaxo Group Limited, UK
 SO PCT Int. Appl., 99pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|----|---------------|--|----------|-----------------|----------|
| PI | WO 2007016610 | A2 | 20070208 | WO 2006-US30043 | 20060802 |
| | WO 2007016610 | A3 | 20070607 | | |
| | W: | AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW | | | |
| | RW: | AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA | | | |

PRAI US 2005-704538P P 20050802

OS MARPAT 146:229364


IT 924278-33-1P 924278-37-5P 924278-41-1P
 924278-42-2P 924278-43-3P 924278-50-2P
 924278-55-7P 924278-56-8P 924278-59-1P
 924278-60-4P 924278-61-5P 924278-62-6P
 924279-60-7P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of quinoline, quinoxaline and naphthyridine derivs. as antibacterial agents)

RN 924278-33-1 CAPLUS


CN 1,8-Naphthyridine-2-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-5,6,7,8-tetrahydro-N-methyl- (CA INDEX NAME)



RN 924278-37-5 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-N-methyl-3-oxo- (CA INDEX NAME)

Absolute stereochemistry.




RN 924278-41-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazine-6-carboxamide, N-[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-3,4-dihydro-N-methyl-3-oxo- (CA INDEX NAME)




RN 924278-42-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyloxy]-3,4-dihydro-N-methyl-3-oxo-
(CA INDEX NAME)




RN 924278-43-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyloxy]-3,4-dihydro-N-methyl-3-oxo-
(CA INDEX NAME)




RN 924278-50-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-3,4-dihydro-N-methyl-3-oxo- (CA INDEX NAME)



RN 924278-55-7 CAPLUS


CN 1,4-Dioxino[2,3-c]pyridine-7-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-2,3-dihydro-N-methyl- (CA INDEX NAME)



RN 924278-56-8 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[(3S,4R)-3-fluoro-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-3,4-dihydro-N-methyl-3-oxo- (CA INDEX NAME)

Absolute stereochemistry.



RN 924278-59-1 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-3,4-dihydro-N-methyl-3-oxo-
(CA INDEX NAME)



RN 924278-60-4 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazine-6-carboxamide, N-[1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-3,4-dihydro-N-methyl-3-oxo-
(CA INDEX NAME)


10/539,931



RN 924278-61-5 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[(2R)-2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)-2-hydroxyethyl]-4-piperidinyl]-3,4-dihydro-N-methyl-3-oxo- (CA INDEX NAME)

Absolute stereochemistry.




RN 924278-62-6 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[(3S,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-N-methyl-3-oxo- (CA INDEX NAME)


Absolute stereochemistry.

10/539,931



RN 924279-60-7 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-4-quinolyl)ethyl]-4-piperidinyl]-3,4-dihydro-N-methyl-3-oxo- (CA INDEX NAME)



L4 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2004:565041 CAPLUS

DN 141:140414

TI Preparation of quinolines and 1,5-naphthyridines as antibacterial agents

IN Axten, Jeffrey Michael; Brooks, Gerald; Brown, Pamela; Davies, David; Gallagher, Timothy Francis; Markwell, Roger Edward; Miller, William Henry; Pearson, Neil David; Seefeld, Mark

PA Glaxo Group Limited, UK

SO PCT Int. Appl., 232 pp.

CODEN: PIXXD2


DT Patent

LA English

FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------|--|--|----------|-----------------|----------|
| PI | WO 2004058144 | A2 | 20040715 | WO 2003-US40032 | 20031217 |
| | WO 2004058144 | A3 | 20041021 | | |
| | W: | AE, AG, AL, AU, BA, BB, BR, BZ, CA, CN, CO, CR, CU, DM, DZ, EC, EG, GD, GE, HR, HU, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MA, MG, MK, MN, MX, NO, NZ, OM, PH, PL, RO, SC, SG, TN, TT, UA, US, UZ, VN, YU, ZA | | | |
| | RW: | BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | |
| | AU 2003300965 | A1 | 20040722 | AU 2003-300965 | 20031217 |
| | EP 1578743 | A2 | 20050928 | EP 2003-814042 | 20031217 |
| | R: | AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK | | | |
| | JP 2006511622 | T | 20060406 | JP 2005-509974 | 20031217 |
| | US 2006041123 | A1 | 20060223 | US 2005-538931 | 20050614 |
| PRAI | US 2002-434729P | P | 20021218 | | |
| | US 2003-457013P | P | 20030324 | | |
| | WO 2003-US40032 | W | 20031217 | | |
| OS | MARPAT 141:140414 | | | | |
| IT | 724790-99-2P, (+)-6-[[[1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one | | | | |
| | RL: PAC (Pharmacological activity); PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) | | | | |
| | (antibacterial agent; preparation of quinolines and 1,5-naphthyridines as antibacterial agents) | | | | |
| RN | 724790-99-2 CAPLUS | | | | |
| CN | 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, (+)- (CA INDEX NAME) | | | | |

Rotation (+).




IT 724787-23-9P 724787-28-4P, [1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]piperidin-4-yl][(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amine 724787-33-1P, [1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl][(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amine 724787-70-6P, 6-[[[1-[2-(3-Chloro-6-fluoro-5-methoxyquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-78-4P, 6-[[[1-[2-(3-Chloro-6-methyl-[1,5]naphthyridin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-96-6P, (3R,4S)-1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-4-[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]piperidin-3-ol 724787-99-9P, (3S,4R)-1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-4-[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]piperidin-3-ol 724788-04-9P, 6-[[[1-[2-(3-Fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724788-12-9P, (3R,4S)-4-[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-3-ol 724788-15-2P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-2-hydroxyethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724788-24-3P, (3S,4S)-6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724788-26-5P, (3S,4S)-6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724788-30-1P, (3R,4R)-6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724788-46-9P, [1-[2-(3-Bromo-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl][(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amine 724788-89-0P, 6-[[[1-(3R,4R)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724788-91-4P, N-[(3S,4R)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide 724788-94-7P, 7-[[[1-(3R,4S)-1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one 724789-10-0P, 4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-methyl-4-piperidinecarboxamide 724789-16-6P, 4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-4-

quinolinyl]ethyl]-4-piperidinecarboxamide 724789-19-9P,
 4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-N-methyl-4-piperidinecarboxamide 724789-22-4P, 4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-4-piperidinecarboxamide 724789-27-9P,
 1-[2-[3-Chloro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-4-[[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-4-piperidinecarboxamide 724789-42-8P, 14-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinyl]methanol 724789-77-9P, (-)-2-[4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]-1-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethanol 724789-79-1P,
 (+)-2-[4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]-1-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethanol 724789-84-8P, cis-4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-piperidinyl]methanol 724789-86-0P, cis-4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-piperidinecarboxylic acid 724789-90-6P, cis-4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-piperidinecarboxamide 724789-94-0P, 1-[2-[3-Chloro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-N-[(6-oxido-2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-4-piperidinamine 724790-04-9P,
 6-[[[1-[2-(3,6-Difluoroquinolin-4-yl)ethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724790-10-7P,
 2-[4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]-1-[3-fluoro-6-(methoxy)-4-quinolinyl]ethanol 724790-50-5P, (3R,4R)-4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-piperidinol dihydrochloride 724790-56-1P, (3R,4R)-6-[[[1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724790-72-1P, 6-[[[(3S,4R)-1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724794-12-1P,
 (+)-2-[4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]-1-[3-fluoro-6-(methoxy)-4-quinolinyl]ethanol
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (antibacterial agent; preparation of quinolines and 1,5-naphthyridines as antibacterial agents)


RN 724787-23-9 CAPLUS

CN 1,5-Naphthyridine-4-methanol, 3-chloro- α -[[4-[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]methyl]-6-methoxy-(CA INDEX NAME)




RN 724787-28-4 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-2,3-dihydro- (CA INDEX NAME)




RN 724787-33-1 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-6-methoxy-4-quinoliny)ethyl]-4-piperidinyl]-2,3-dihydro- (CA INDEX NAME)




RN 724787-70-6 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-fluoro-5-methoxy-4-quinoliny)ethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724787-78-4 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methyl-1,5-naphthyridin-4-yl)ethyl]ethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724787-96-6 CAPLUS

CN 3-Piperidinol, 1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, (3R,4S)- (CA INDEX NAME)

Absolute stereochemistry.




10/539,931

RN 724787-99-9 CAPLUS


CN 3-Piperidinol, 1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-
[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, (3S,4R)-
(CA INDEX NAME)

Absolute stereochemistry.



RN 724788-04-9 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724788-12-9 CAPLUS


CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-, (3R,4S)-
(CA INDEX NAME)

Absolute stereochemistry.



RN 724788-15-2 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724788-24-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)

Absolute stereochemistry.




10/539,931

RN 724788-26-5 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-
(CA INDEX NAME)


Absolute stereochemistry.



RN 724788-30-1 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-
(CA INDEX NAME)

Absolute stereochemistry.



RN 724788-46-9 CAPLUS


CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-bromo-6-methoxy-4-quinoliny)ethyl]-4-piperidinyl]-2,3-dihydro- (CA INDEX NAME)



RN 724788-89-0 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-
(CA INDEX NAME)


Absolute stereochemistry.



RN 724788-91-4 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[(3S,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-3-oxo-
(CA INDEX NAME)


Absolute stereochemistry.



RN 724788-94-7 CAPLUS


CN 1H-Pyrido[2,3-b][1,4]thiazin-2(3H)-one, 7-[[[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 724789-10-0 CAPLUS

CN 4-Piperidinecarboxamide, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-N-methyl]- (CA INDEX NAME)




RN 724789-16-6 CAPLUS

CN 4-Piperidinecarboxamide, 4-[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinoliny)ethyl]- (CA INDEX NAME)




RN 724789-19-9 CAPLUS

CN 4-Piperidinecarboxamide, 4-[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-N-methyl- (CA INDEX NAME)




RN 724789-22-4 CAPLUS

CN 4-Piperidinecarboxamide, 4-[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-
(CA INDEX NAME)




RN 724789-27-9 CAPLUS

CN 4-Piperidinecarboxamide, 1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-
(CA INDEX NAME)



RN 724789-42-8 CAPLUS

CN 4-Piperidinemethanol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinoliny)ethyl]- (CA INDEX NAME)




RN 724789-77-9 CAPLUS

CN 1,5-Naphthyridine-4-methanol, α -[[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]methyl]-3-fluoro-6-methoxy-, (-)- (CA INDEX NAME)

Rotation (-).


10/539,931



RN 724789-79-1 CAPLUS

CN 1,5-Naphthyridine-4-methanol, α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-3-fluoro-6-methoxy-, (+)- (CA INDEX NAME)


Rotation (+).



RN 724789-84-8 CAPLUS

CN 3-Piperidinemethanol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, (3R,4S)-rel- (CA INDEX NAME)


Relative stereochemistry.



RN 724789-86-0 CAPLUS

CN 3-Piperidinecarboxylic acid, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, (3R,4S)-rel- (CA INDEX NAME)


Relative stereochemistry.



RN 724789-90-6 CAPLUS


CN 3-Piperidinecarboxamide, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, (3R,4S)-rel- (CA INDEX NAME)

Relative stereochemistry.




RN 724789-94-0 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-2,3-dihydro-, 6-oxide (CA INDEX NAME)




RN 724790-04-9 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3,6-difluoro-4-quinolinyl)ethyl]-4-piperidinyl]amino)methyl]- (CA INDEX NAME)




10/539,931

RN 724790-10-7 CAPLUS
CN 4-Quinolinemethanol, α -[4-[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-3-fluoro-6-methoxy- (CA INDEX NAME)



RN 724790-50-5 CAPLUS
CN 3-Piperidinol, 4-[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride, (3R,4R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724790-56-1 CAPLUS
CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-fluoro-6-methoxy-4-quinoliny)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 724790-72-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-
(CA INDEX NAME)


Absolute stereochemistry.



RN 724794-12-1 CAPLUS

CN 4-Quinolinemethanol, α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]methyl]-3-fluoro-6-methoxy-, (+)- (CA INDEX NAME)

Rotation (+).



IT 724787-20-6P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-2-hydroxyethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one 724787-21-7P, 1-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-2-[4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]piperidin-1-yl]ethanol Dihydrochloride 724787-24-0P, [1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]piperidin-4-yl](2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methylamine Dihydrochloride 724787-34-2P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-(3R,4S)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one 724787-38-6P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-(3S,4R)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one 724787-39-7P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-(3R,4S)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-40-0P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-(3S,4R)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-41-1P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-(3R,4S)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one 724787-42-2P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-(3S,4R)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one 724787-43-3P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-(3R,4S)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-44-4P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-(3S,4R)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-48-8P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-49-9P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one 724787-50-2P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-51-3P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one 724787-55-7P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-(3S,4S)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-57-9P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-(3S,4S)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one 724787-59-1P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-(3R,4R)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-60-4P,

6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-(3R,4R)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one 724787-64-8P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-4-hydroxymethylpiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-65-9P, 6-[[[1-[2-(3-Chloro-6-fluoro-5-methoxyquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724787-71-7P, 6-[[[1-[2-(3-Chloro-6-methyl-1,5)naphthylidin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724787-79-5P, 1-[2-(3-Chloro-6-methyl-1,5)naphthylidin-4-yl)ethyl]piperidin-4-yl] [(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amine 724787-85-3P, 6-[[[1-[2-(3-Chloro-6-fluoroquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-86-4P, 1-[2-(3-Chloro-6-fluoroquinolin-4-yl)ethyl]piperidin-4-yl] [(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amine 724787-92-2P, 6-[[[1-[2-(3,6-Dichloroquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one 724787-93-3P, 1-[2-(3,6-Dichloroquinolin-4-yl)ethyl]piperidin-4-yl] [(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amine 724787-94-4P, (3R,4S)-1-[2-(3-Chloro-6-methoxy-1,5)naphthylidin-4-yl)ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]piperidin-3-ol Dihydrochloride 724787-97-7P, (3S,4R)-1-[2-(3-Chloro-6-methoxy-1,5)naphthylidin-4-yl)ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]piperidin-3-ol Dihydrochloride 724788-05-0P, 1-[2-(3-Fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl] [(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amine 724788-08-3P, (3S,4R)-4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-3-ol 724788-09-4P, (3R,4S)-4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-3-ol dihydrochloride 724788-14-1P, 6-[[[1-[2-(3-Chloro-6-methoxy-1,5)naphthylidin-4-yl)ethyl]-2-hydroxyethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724788-19-6P, 6-(3S,4S)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-3-hydroxypiperidin-4-yl] [(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amine 724788-20-9P, (3S,4S)-6-[[[1-[2-(3-Chloro-6-methoxy-1,5)naphthylidin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724788-25-4P, (3S,4S)-6-[[[1-[2-(3-Chloro-6-methoxy-1,5)naphthylidin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one Trihydrochloride 724788-27-6P, (3R,4R)-6-[[[1-[2-(3-Chloro-6-methoxy-1,5)naphthylidin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one dihydrochloride 724788-31-2P, 6-[[[1-(3R,4R,5S)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-3,5-dihydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one dihydrochloride 724788-39-0P, 6-[[[1-[2-(3-Fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one 724788-47-0P, (3R,4S)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]piperidin-3-ol Dihydrochloride 724788-48-1P, (3S,4R)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]piperidin-3-ol Dihydrochloride 724788-60-7P, 1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-4-piperidinamine 724788-73-2P, N-[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-1-[2-(3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl)ethyl]-4-piperidinamine 724788-83-4P, 7-Fluoro-N-[1-[2-(3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl)ethyl]-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide 724788-86-7P,

(3R,4S)-4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-piperidinol 724788-87-8P, 6-[[[(3S,4R)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724788-90-3P, N-[[[(3S,4R)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide dihydrochloride 724788-92-5P, 7-[[[(3R,4S)-1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one dihydrochloride 724788-96-9P, N-[(4-Fluoro-1H-benzimidazol-2-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinamine 724789-04-2P, 4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-methyl-4-piperidinecarboxamide dihydrochloride 724789-11-1P, 4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinecarboxamide dihydrochloride 724789-17-7P, 4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-N-methyl-4-piperidinecarboxamide dihydrochloride 724789-21-3P, 4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinecarboxamide dihydrochloride 724789-24-6P, 1-[2-[3-Chloro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-[[[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-4-piperidinecarboxamide dihydrochloride 724789-53-1P, N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-(hydroxymethyl)-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide 724789-55-3P, N-[1-[2-[3-Fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazine-6-carboxamide 724789-57-5P, N-[1-[2-[3-Fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide 724789-59-7P, 7-[[[(3R,4S)-1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one 724789-68-8P, 6-[[[(3R,4S)-1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724789-69-9P, (-)-2-[4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]-1-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethanol Dihydrochloride 724789-78-0P, (+)-2-[4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]-1-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethanol Dihydrochloride 724789-80-4P, cis-[4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-piperidinyl]methanol dihydrochloride 724789-85-9P, cis-4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-piperidinecarboxylic acid dihydrochloride 724789-87-1P, cis-4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-piperidinecarboxamide dihydrochloride 724789-91-7P, 1-[2-[3-Chloro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-N-[[[6-oxido-2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-4-piperidineamine dihydrochloride 724789-99-5P, 6-[[[1-[2-[3-Chloro-6-(methoxy)-1,5-naphthylidin-4-yl]-3-hydroxypropyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724790-00-5P, 6-[[[1-[2-(3,6-Difluoroquinolin-4-yl)ethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724790-08-3P, 1-[2-(6-Chloro-3-fluoro-4-quinolinyl)ethyl]-4-[[[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-N-methyl-4-piperidinecarboxamide 724790-09-4P,

2-[4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]-1-[3-fluoro-6-(methoxy)-4-quinolinyl]ethanol dihydrochloride 724790-11-8P, 6-[[[(3S,4S)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724790-14-1P, 6-[[[(3S,4S)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724790-15-2P, (3S,4S)-4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-3-piperidinol dihydrochloride 724790-16-3P, 6-[[[(3S,4S)-1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724790-17-4P 724790-18-5P, N-(3S,4S)-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-3-hydroxy-4-piperidinyl-2,3-dihydro-[1,4]dioxino[2,3-c]pyridine-7-carboxamide dihydrochloride 724790-26-5P, trans-6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-3-hydroxy-3-methyl-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724790-35-6P, 6-[[[trans-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-3-hydroxy-4-methyl-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724790-41-4P, N-[(3,4-Dihydro-2H-pyrano[2,3-c]pyridin-6-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-4-piperidinamine 724790-42-5P, [[1-[2-[3-Fluoro-6-methoxy-[1,5]naphthylridin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-3,4-dihydro-1,8-naphthylridin-2(1H)-one 724790-43-6P, 7-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-2,3-dihydro-1,5-benzothiazepin-4(5H)-one 724790-55-0P, (3R,4R)-6-[[[1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724790-57-2P, (3R,4R)-N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]-3-oxo-3,4-dihydro-2-pyrido[3,2-b][1,4]thiazine-6-carboxamide hydrochloride 724790-58-3P, 6-[[[(3R,4R)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724790-62-9P, 6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-4-methyl-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one 724790-66-3P, cis-6-[[[1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724790-67-4P, (+)-cis-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-3-fluoro-4-piperidinamine 724790-68-5P, (-)-cis-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-3-fluoro-4-piperidinamine 724790-69-6P, cis-N-[1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-3-fluoro-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide 724790-73-2P, (3R,4R)-6-[[[1-[2-[3-Chloro-6-methoxy-[1,5]naphthylridin-4-yl]ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one trihydrochloride 724790-74-3P, (3R,4R)-1-[2-[3-Chloro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-piperidinol 724790-75-4P, cis-1-[2-[3-Chloro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-piperidinol 724790-76-5P, N-(2,3-Dihydro-1,4-benzodioxin-6-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-4-piperidinamine 724790-77-6P, (3S,4R)-4-[[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylridin-4-yl]ethyl]-3-piperidinol 724790-78-7P, (3R,4S)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylridin-

4-yl]ethyl]-4-[[[1,3]oxathiol[5,4-c]pyridin-6-yl)methyl]amino]-3-piperidinol 724790-79-8P, 6-[[[1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724790-82-3P, 1-[2-[3-Chloro-8-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-4-piperidinamine 724790-85-6P, (3S,4R)-1-[2-(3,6-Dichloro-4-quinolinyl)ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-piperidinol 724790-86-7P, 6-[[[(3S,4R)-1-[2-(3,6-Dichloroquinolin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724790-89-0P, (3S,4R)-1-[2-(3-Chloro-6-fluoro-4-quinolinyl)ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-piperidinol 724790-90-3P, 6-[[[(3S,4R)-1-[2-(3-Chloro-6-fluoroquinolin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one 724790-91-4P, N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-4-methyl-4-piperidinyl]-2,3-dihydro-[1,4]dioxino[2,3-c]pyridine-7-carboxamide 724790-92-5P, trans-6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-hydroxy-3-methyl-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one 724790-93-6P, (3R,4R)-4-[[[2-(3-Dihydro-1,4-benzodioxin-6-ylmethyl)amino]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-3-piperidinol 724790-94-7P, (3S,4S)-4-[[[2-(3-Dihydro-1,4-benzodioxin-6-ylmethyl)amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-piperidinol 724790-95-8P, (3R,4R)-4-[[[2-(3-Dihydro-1,4-benzodioxin-6-ylmethyl)amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-piperidinol 724790-96-9P, (3S,4R)-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-piperidinol 724790-97-0P, (3S,4R)-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-[[[2,3-dihydro-1,4-benzodioxin-6-ylmethyl)amino]-3-piperidinol 724790-98-1P, N-[(2,3-Dihydrobenzo[b]furan-5-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-4-piperidinamine 724791-00-8P, (-)-6-[[[1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one 724791-01-9P, (+)-6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one 724791-02-0P, (-)-6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one 724791-03-1P, (+)-6-[[[1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one 724791-04-2P, (-)-6-[[[1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one 724791-05-3P, (+)-1-[3-Chloro-8-fluoro-6-(methoxy)-4-quinolinyl]-2-[4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]ethanol 724791-06-4P, (-)-1-[3-Chloro-8-fluoro-6-(methoxy)-4-quinolinyl]-2-[4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]ethanol 724791-07-5P, (-)-1-[3-Chloro-6-(methoxy)-4-quinolinyl]-2-[4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]ethanol 724791-08-6P, (+)-1-[3-Chloro-6-(methoxy)-4-quinolinyl]-2-[4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]ethanol 724791-09-7P, (-)-1-[3-Chloro-6-(methoxy)-1,5-naphthyridin-4-yl]-2-[4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]ethanol 724791-12-2P, 2-[4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-fluoro-1-piperidinyl]-1-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethanol 724791-13-3P, 7-[[[1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-

yl]ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one 724791-15-5P, 1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-N-[8-(methoxy)-2,3-dihydro-1,4-benzodioxin-6-yl]methyl]-4-piperidinamine 724791-18-8P, 1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-N-[(7-methyl-2,3-dihydro-1,4-benzodioxin-6-yl)methyl]-4-piperidinamine 724791-21-3P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)-2-hydroxyethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride 724791-22-4P, 6-[[[(3R,4S)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride 724791-23-5P, 6-[[[(3S,4R)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride 724791-24-6P, 6-[[[(3R,4S)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724791-25-7P, 6-[[[(3S,4R)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724791-26-8P, 6-[[[(3R,4S)-1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride 724791-27-9P, 6-[[[(3S,4R)-1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride 724791-28-0P, 6-[[[(3R,4S)-1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724791-29-1P, 6-[[[(3S,4R)-1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724791-30-4P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Trihydrochloride 724791-31-5P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one Trihydrochloride 724791-32-6P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724791-33-7P, 6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one Dihydrochloride 724791-34-8P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-(3S,4S)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Trihydrochloride 724791-35-9P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-(3S,4S)-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one Trihydrochloride 724791-36-0P, 6-[[[(3R,4R)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Trihydrochloride 724791-37-1P, 6-[[[(3R,4R)-1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one Trihydrochloride 724791-38-2P, 6-[[[1-[2-(3-Chloro-6-methoxyquinolin-4-yl)ethyl]-4-hydroxymethylpiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724791-40-6P, 6-[[[1-[2-(3-Chloro-6-fluoroquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724791-43-9P, 6-[[[1-[2-(3,6-Dichloroquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one Dihydrochloride 724791-45-1P, 6-[[[1-[2-(3-Fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]thiazin-3-one dihydrochloride 724791-47-3P, (3S,4R)-4-[[[2,3-Dihydro-1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-3-ol dihydrochloride

724791-48-4P, 6-[[[1-[2-(3-Fluoro-6-methoxyquinolin-4-yl)ethyl]piperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one dihydrochloride 724791-49-5P, 1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-4-piperidinamine dihydrochloride 724791-50-8P, 7-[[[1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one dihydrochloride 724791-51-9P, 6-[[[1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724791-52-0P, 6-[[[1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724791-53-1P, 1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[[[1,3]dioxolo[4,5-c]pyridin-6-yl)methyl]-4-piperidinamine dihydrochloride 724791-54-2P, N-[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinamine dihydrochloride 724791-55-3P, N-[(2,3-Dihydro-1H-pyrido[3,4-b][1,4]thiazin-7-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinamine dihydrochloride 724791-56-4P, 6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724791-57-5P, 7-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one dihydrochloride 724791-58-6P, 3-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-8-hydroxy-1(2H)-isoquinolinone dihydrochloride 724791-59-7P, 3-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-5H-pyridazino[3,4-b][1,4]thiazin-6(7H)-one dihydrochloride 724791-60-0P, 6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724791-61-1P, N-[(2,3-Dihydro-[1,4]oxathiino[2,3-c]pyridin-7-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinamine dihydrochloride 724791-62-2P, 1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-N-[[[1,3]oxathio[5,4-c]pyridin-6-yl)methyl]-4-piperidinamine dihydrochloride 724791-63-3P, 7-Fluoro-N-[1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide dihydrochloride 724791-64-4P, N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinyl]-2-oxo-2,3-dihydro-1H-pyrido[2,3-b][1,4]thiazine-7-carboxamide dihydrochloride 724791-65-5P, N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazine-6-carboxamide 724791-66-6P, N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazine-6-carboxamide 724791-67-7P, (3R,4S)-4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-piperidinol dihydrochloride 724791-68-8P, 6-[[[1,3]dioxolo[4,5-c]pyridin-6-yl)methyl]-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724791-69-9P, 6-[[[(3R,4S)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724791-70-2P, (3R,4S)-4-[[[2,3-Dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-piperidinol dihydrochloride 724791-71-3P, 6-[[[(3R,4S)-1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724791-72-4P,


(3R,4S)-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-piperidinol dihydrochloride 724791-73-5P, 6-[[[(3R,4S)-1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724791-74-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(antibacterial agent; preparation of quinolines and 1,5-naphthyridines as antibacterial agents)


RN 724787-20-6 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724787-21-7 CAPLUS

CN 1,5-Naphthyridine-4-methanol, 3-chloro- α -[[4-[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-6-methoxy-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HC1

RN 724787-24-0 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)


10/539,931



● 2 HCl


RN 724787-34-2 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 724787-38-6 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 724787-39-7 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 724787-40-0 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 724787-41-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-
(CA INDEX NAME)


Absolute stereochemistry.



RN 724787-42-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-
(CA INDEX NAME)


Absolute stereochemistry.



RN 724787-43-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-
(CA INDEX NAME)

Absolute stereochemistry.



RN 724787-44-4 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-
(CA INDEX NAME)

Absolute stereochemistry.

10/539,931


RN 724787-50-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidiny]amino]methyl]- (CA INDEX NAME)



RN 724787-51-3 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidiny]amino]methyl]- (CA INDEX NAME)



RN 724787-55-7 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-chloro-6-methoxy-4-quinoliny]ethyl]-3-hydroxy-4-piperidiny]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 724787-57-9 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 724787-59-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 724787-60-4 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 724787-64-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-4-(hydroxymethyl)-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724787-65-9 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-fluoro-5-methoxy-4-quinoliny)ethyl]-4-piperidiny]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



●2 HCl

RN 724787-71-7 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methyl-1,5-naphthyridin-4-yl)ethyl]-4-piperidiny]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724787-79-5 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-6-methyl-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-2,3-dihydro- (CA INDEX NAME)




RN 724787-85-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-fluoro-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)




RN 724787-86-4 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-6-fluoro-4-quinolinyl)ethyl]-4-piperidinyl]-2,3-dihydro- (CA INDEX NAME)



RN 724787-92-2 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3,6-dichloro-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724787-93-3 CAPLUS

10/539,931


CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3,6-dichloro-4-quinolinyl)ethyl]-4-piperidinyl]-2,3-dihydro- (CA INDEX NAME)



RN 724787-94-4 CAPLUS

CN 3-Piperidinol, 1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, dihydrochloride, (3R,4S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724787-97-7 CAPLUS

CN 3-Piperidinol, 1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, dihydrochloride, (3S,4R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/539,931



● 2 HCl

RN 724788-05-0 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-2,3-dihydro- (CA INDEX NAME)




RN 724788-08-3 CAPLUS

CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-, (3S,4R)- (CA INDEX NAME)

Absolute stereochemistry.


10/539,931



RN 724788-09-4 CAPLUS

CN 3-Piperidinol, 4-[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinoliny)ethyl]-, dihydrochloride, (3R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724788-14-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724788-19-6 CAPLUS

CN 3-Piperidinol, 1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-4-[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, (3S,4S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 724788-20-9 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724788-25-4 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyloxy]amino]methyl]-, trihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 3 HCl

RN 724788-27-6 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyloxy]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724788-31-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3 α , 4 β , 5 α)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3,5-dihydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)


Relative stereochemistry.



● 2 HCl

RN 724788-39-0 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724788-47-0 CAPLUS

CN 3-Piperidinol, 1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-4-[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, dihydrochloride, (3R,4S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724788-48-1 CAPLUS

CN 3-Piperidinol, 1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-4-[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, dihydrochloride, (3S,4R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl


RN 724788-60-7 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3,8-difluoro-6-methoxy-4-quinoliny)ethyl]-4-piperidiny]-2,3-dihydro- (CA INDEX NAME)




RN 724788-73-2 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidiny]-2,3-dihydro- (CA INDEX NAME)



RN 724788-83-4 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, 7-fluoro-N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-3,4-dihydro-3-oxo-
(CA INDEX NAME)



RN 724788-86-7 CAPLUS

CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, (3R,4S)-
(CA INDEX NAME)


Absolute stereochemistry.



RN 724788-87-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724788-90-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[[[(3S,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-3-oxo-, hydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/539,931




● x HCl

RN 724788-92-5 CAPLUS

CN 1H-Pyrido[2,3-b][1,4]thiazin-2(3H)-one, 7-[[[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl


RN 724788-96-9 CAPLUS

CN 1H-Benzimidazole-2-methanamine, 4-fluoro-N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]- (9CI) (CA INDEX NAME)



RN 724789-04-2 CAPLUS


CN 4-Piperidinecarboxamide, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-N-methyl-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724789-11-1 CAPLUS

CN 4-Piperidinecarboxamide, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-N-methyl-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724789-17-7 CAPLUS
 CN 4-Piperidinecarboxamide, 4-[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-N-methyl-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724789-21-3 CAPLUS
 CN 4-Piperidinecarboxamide, 4-[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724789-24-6 CAPLUS
 CN 4-Piperidinecarboxamide, 1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724789-53-1 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-(hydroxymethyl)-4-piperidinyl]-3,4-dihydro-3-oxo- (CA INDEX NAME)

10/539,931




RN 724789-55-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidiny]-3,4-dihydro-3-oxo- (CA INDEX NAME)



RN 724789-57-5 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidiny]-3,4-dihydro-3-oxo- (CA INDEX NAME)




RN 724789-59-7 CAPLUS

10/539,931

CN 1H-Pyrido[2,3-b][1,4]thiazin-2(3H)-one, 7-[[[(3R,4S)-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 724789-68-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 724789-69-9 CAPLUS

CN 1,5-Naphthyridine-4-methanol, α -[[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-3-fluoro-6-methoxy-, dihydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).

10/539,931




● 2 HCl

RN 724789-78-0 CAPLUS

CN 1,5-Naphthyridine-4-methanol, α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-3-fluoro-6-methoxy-, dihydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




● 2 HCl

RN 724789-80-4 CAPLUS

CN 3-Piperidinemethanol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride, (3R,4S)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● 2 HCl

RN 724789-85-9 CAPLUS

CN 3-Piperidinecarboxylic acid, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride, (3R,4S)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● 2 HCl

RN 724789-87-1 CAPLUS

CN 3-Piperidinecarboxamide, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride, (3R,4S)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10/539,931



● 2 HCl

RN 724789-91-7 CAPLUS


CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-2,3-dihydro-, 6-oxide, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724789-99-5 CAPLUS

CN 2H-Pyrido[3,2-b][1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)-3-hydroxypropyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724790-00-5 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3,6-difluoro-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724790-08-3 CAPLUS

CN 4-Piperidinecarboxamide, 1-[2-(6-chloro-3-fluoro-4-quinolinyl)ethyl]-4-[[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-N-methyl- (CA INDEX NAME)



RN 724790-09-4 CAPLUS

CN 4-Quinolinemethanol, α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]methyl]-3-fluoro-6-methoxy-, dihydrochloride (9CI) (CA INDEX NAME)




●2 HCl

RN 724790-11-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/539,931




● 2 HCl

RN 724790-14-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724790-15-2 CAPLUS

CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride, (3S,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724790-16-3 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazine-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724790-17-4 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[[[(3S,4S)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-3-oxo-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/539,931




● 2 HCl

RN 724790-18-5 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-carboxamide, N-[(3S,4S)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724790-26-5 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-3-methyl-4-piperidinyl]amino]methyl]-, rel- (CA INDEX NAME)


Relative stereochemistry.



RN 724790-35-6 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-methyl-4-piperidinylamino]methyl]-, rel- (CA INDEX NAME)

Relative stereochemistry.




RN 724790-41-4 CAPLUS

CN 2H-Pyrano[2,3-c]pyridine-6-methanamine, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3,4-dihydro- (CA INDEX NAME)




RN 724790-42-5 CAPLUS
 CN 1,8-Naphthyridin-2(1H)-one, 7-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidiny]amino]methyl]-3,4-dihydro- (CA INDEX NAME)



RN 724790-43-6 CAPLUS
 CN 1,5-Benzothiazepin-4(5H)-one, 7-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidiny]amino]methyl]-2,3-dihydro- (CA INDEX NAME)


10/539,931



RN 724790-55-0 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724790-57-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-3-oxo-, hydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/539,931




● x HCl

RN 724790-58-3 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 724790-62-9 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-methyl-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724790-66-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-, rel- (CA INDEX NAME)


Relative stereochemistry.



RN 724790-67-4 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]-2,3-dihydro-, rel-(+)- (CA INDEX NAME)


Rotation (+). Absolute stereochemistry unknown.



RN 724790-68-5 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]-2,3-dihydro-, rel-(-)-(CA INDEX NAME)

Rotation (-). Absolute stereochemistry unknown.




RN 724790-69-6 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]-3,4-dihydro-3-oxo-, rel- (CA INDEX NAME)

Relative stereochemistry.


10/539,931



RN 724790-73-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidiny]amino]methyl]-, trihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 3 HCl

RN 724790-74-3 CAPLUS

CN 3-Piperidinol, 1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, (3R,4R)- (CA INDEX NAME)


Absolute stereochemistry.



RN 724790-75-4 CAPLUS


CN 3-Piperidinol, 1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-[[2-(3,4-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, (3R,4S)-rel- (CA INDEX NAME)

Relative stereochemistry.




RN 724790-76-5 CAPLUS

CN 4-Piperidinamine, N-[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]- (CA INDEX NAME)




RN 724790-77-6 CAPLUS
 CN 3-Piperidinol, 4-[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, (3S,4R)- (CA INDEX NAME)

Absolute stereochemistry.




RN 724790-78-7 CAPLUS
 CN 3-Piperidinol, 1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-[[[1,3]oxathiol[5,4-c]pyridin-6-ylmethyl]amino]-, (3R,4S)- (CA INDEX NAME)

Absolute stereochemistry.




RN 724790-79-8 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)



RN 724790-82-3 CAPLUS


CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-2,3-dihydro- (CA INDEX NAME)



RN 724790-85-6 CAPLUS

CN 3-Piperidinol, 1-[2-(3,6-dichloro-4-quinolinyl)ethyl]-4-[[2-(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, (3S,4R)- (CA INDEX NAME)


Absolute stereochemistry.



RN 724790-86-7 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3,6-dichloro-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 724790-89-0 CAPLUS

CN 3-Piperidinol, 1-[2-(3-chloro-6-fluoro-4-quinolinyl)ethyl]-4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, (3S,4R)- (CA INDEX NAME)


Absolute stereochemistry.



RN 724790-90-3 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-fluoro-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 724790-91-4 CAPLUS


CN 1,4-Dioxino[2,3-c]pyridine-7-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-methyl-4-piperidinyl]-2,3-dihydro- (CA INDEX NAME)



RN 724790-92-5 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-3-methyl-4-piperidinyl]amino]methyl]-, rel- (CA INDEX NAME)


Relative stereochemistry.



RN 724790-93-6 CAPLUS

CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-, (3R,4R)- (CA INDEX NAME)


Absolute stereochemistry.



RN 724790-94-7 CAPLUS

CN 3-Piperidinol, 4-[[2-[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, (3S,4S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 724790-95-8 CAPLUS

CN 3-Piperidinol, 4-[[2-[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, (3R,4R)- (CA INDEX NAME)


Absolute stereochemistry.



RN 724790-96-9 CAPLUS

CN 3-Piperidinol, 1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, (3S,4R)- (CA INDEX NAME)

Absolute stereochemistry.




RN 724790-97-0 CAPLUS

CN 3-Piperidinol, 1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-[[2,3-dihydro-1,4-benzodioxin-6-yl)methyl]amino]-, (3S,4R)- (CA INDEX NAME)


Absolute stereochemistry.

10/539,931



RN 724790-98-1 CAPLUS

CN 4-Piperidinamine, N-[(2,3-dihydro-5-benzofuranyl)methyl]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]- (CA INDEX NAME)




RN 724791-00-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-4-quinoliny)]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, (-)- (CA INDEX NAME)

Rotation (-).


10/539,931



RN 724791-01-9 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, (+)- (CA INDEX NAME)

Rotation (+).




RN 724791-02-0 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, (-)- (CA INDEX NAME)

Rotation (-).


10/539,931



RN 724791-03-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, (+)-(CA INDEX NAME)

Rotation (+).




RN 724791-04-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, (-)-(CA INDEX NAME)


Rotation (-).

10/539,931



RN 724791-05-3 CAPLUS
CN 4-Quinolinemethanol, 3-chloro- α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-8-fluoro-6-methoxy-, (+)- (CA INDEX NAME)


Rotation (+).



RN 724791-06-4 CAPLUS
CN 4-Quinolinemethanol, 3-chloro- α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-8-fluoro-6-methoxy-, (-)- (CA INDEX NAME)

Rotation (-).


10/539,931



RN 724791-07-5 CAPLUS

CN 4-Quinolinemethanol, 3-chloro- α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]methyl]-6-methoxy-, (-)- (CA INDEX NAME)

Rotation (-).




RN 724791-08-6 CAPLUS

CN 4-Quinolinemethanol, 3-chloro- α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]methyl]-6-methoxy-, (+)- (CA INDEX NAME)

Rotation (+).


10/539,931



RN 724791-09-7 CAPLUS


CN 1,5-Naphthyridine-4-methanol, 3-chloro- α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-6-methoxy-, (-)- (CA INDEX NAME)

Rotation (-).




RN 724791-12-2 CAPLUS

CN 1,5-Naphthyridine-4-methanol, α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-fluoro-1-piperidinyl)methyl]-3-fluoro-6-methoxy-, (CA INDEX NAME)




RN 724791-13-3 CAPLUS

CN 1H-Pyrido[2,3-b][1,4]thiazin-2(3H)-one, 7-[[[1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]- (CA INDEX NAME)




RN 724791-15-5 CAPLUS

CN 4-Piperidinamine, N-[(2,3-dihydro-8-methoxy-1,4-benzodioxin-6-yl)methyl]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]- (CA INDEX NAME)




RN 724791-18-8 CAPLUS

CN 4-Piperidinamine, N-[(2,3-dihydro-7-methyl-1,4-benzodioxin-6-yl)methyl]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]- (CA INDEX NAME)



RN 724791-21-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-22-4 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-4-quinolinyloxy)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724791-23-5 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724791-24-6 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724791-25-7 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724791-26-8 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724791-27-9 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724791-28-0 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724791-29-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl


RN 724791-30-4 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]-, trihydrochloride (9CI) (CA INDEX NAME)




●3 HCl

RN 724791-31-5 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]-, trihydrochloride (9CI)
 (CA INDEX NAME)




●3 HCl

RN 724791-32-6 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI)
 (CA INDEX NAME)



● 2 HCl


RN 724791-33-7 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

RN 724791-34-8 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, trihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 3 HCl

RN 724791-35-9 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3S,4S)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, trihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 3 HCl

RN 724791-36-0 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, trihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 3 HCl

RN 724791-37-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, trihydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 3 HCl


RN 724791-38-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-4-quinolinyl)ethyl]-4-(hydroxymethyl)-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



●2 HCl


RN 724791-40-6 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-fluoro-4-quinolinyl)ethyl]-4-piperidyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



●2 HCl


RN 724791-43-9 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3,6-dichloro-4-quinolinyl)ethyl]-4-piperidyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

10/539,931



● 2 HCl


RN 724791-45-1 CAPLUS
CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

RN 724791-47-3 CAPLUS
CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-, dihydrochloride, (3S,4R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724791-48-4 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724791-49-5 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-50-8 CAPLUS
 CN 1H-Pyrido[2,3-b][1,4]thiazin-2(3H)-one, 7-[[[1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI)
 (CA INDEX NAME)




● 2 HCl

RN 724791-51-9 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724791-52-0 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI)
 (CA INDEX NAME)



● 2 HCl

RN 724791-53-1 CAPLUS
 CN 1,3-Dioxolo[4,5-c]pyridine-6-methanamine, N-[1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-, dihydrochloride (9CI) (CA INDEX NAME)


10/539,931



● 2 HCl

RN 724791-54-2 CAPLUS


CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724791-55-3 CAPLUS

CN 1H-Pyrido[3,4-b][1,4]thiazine-7-methanamine, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-56-4 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-57-5 CAPLUS
 CN 1H-Pyrido[2,3-b][1,4]thiazin-2(3H)-one, 7-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-58-6 CAPLUS
 CN 1(2H)-Isoquinolinone, 3-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]amino]methyl]-8-hydroxy-, dihydrochloride (9CI)
 (CA INDEX NAME)




● 2 HCl

RN 724791-59-7 CAPLUS
 CN 5H-Pyridazino[3,4-b][1,4]thiazin-6(7H)-one, 3-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724791-60-0 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]amino]methyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724791-61-1 CAPLUS
 CN [1,4]Oxathiino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]amino]methyl]-4-piperidinyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)

10/539,931



● 2 HCl


RN 724791-62-2 CAPLUS
CN [1,3]Oxathiol[5,4-c]pyridine-6-methanamine, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidiny]l-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724791-63-3 CAPLUS
CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, 7-fluoro-N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidiny]l-3,4-dihydro-3-oxo-, dihydrochloride (9CI) (CA INDEX NAME)

10/539,931




● 2 HCl

RN 724791-64-4 CAPLUS
 CN 1H-Pyrido[2,3-b][1,4]thiazine-7-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-2,3-dihydro-2-oxo-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-65-5 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidinyl]-3,4-dihydro-3-oxo- (CA INDEX NAME)



RN 724791-66-6 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-oxazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-piperidiny]l-3,4-dihydro-3-oxo- (CA INDEX NAME)



RN 724791-67-7 CAPLUS

CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride, (3R,4S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724791-70-2 CAPLUS

CN 3-Piperidinol, 4-[[[2,3-dihydro-1,4-dioxino[2,3-b]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride, (3R,4S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724791-71-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724791-72-4 CAPLUS

CN 3-Piperidinol, 1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-[[2-(3,4-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, dihydrochloride, (3R,4S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724791-73-5 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724791-74-6 CAPLUS

CN 1,8-Naphthyridine-2-methanamine, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-1,5,6,7-tetrahydro-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

IT 724791-75-7P, N-(3-Cinnolinylmethyl)-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinamine dihydrochloride 724791-76-8P, N-(2,1,3-Benzothiadiazol-5-ylmethyl)-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinamine dihydrochloride 724791-77-9P, 1-[2-[3-Fluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(1,3)thiazolo[5,4-b]pyridin-6-yl)methyl]-4-piperidinamine dihydrochloride 724791-78-0P, N-[(3,4-Dihydro-2H-pyrido[3,2-b][1,4]thiazin-6-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinamine dihydrochloride 724791-79-1P, N-(1,3-Benzothiazol-5-ylmethyl)-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinamine dihydrochloride 724791-80-4P, 1-[2-[3-Fluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(1,2,3)thiadiazolo[5,4-b]pyridin-6-yl)methyl]-4-

piperidinamine dihydrochloride 724791-81-5P,
 7-[[[1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one dihydrochloride 724791-82-6P, N-[(2,3-Dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinamine dihydrochloride 724791-83-7P,
 N-[(2,3-Dihydro-[1,4]oxathiino[2,3-c]pyridin-7-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinamine dihydrochloride 724791-84-8P, 14-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinylmethanol dihydrochloride 724791-85-9P,
 N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-(hydroxymethyl)-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide hydrochloride 724791-86-0P,
 N-[1-[2-[3-Fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazine-6-carboxamide hydrochloride 724791-87-1P, N-[1-[2-[3-Fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide hydrochloride 724791-88-2P, 7-[[[(3R,4S)-1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one dihydrochloride 724791-89-3P,
 6-[[[(3R,4S)-1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724791-90-6P, (3R,4S)-1-[2-[3-Chloro-8-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-piperidinol dihydrochloride 724791-91-7P,
 6-[[[1-[2-[3-Chloro-6-(methoxy)-1,5-naphthylidin-4-yl]-3-hydroxypropyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724791-92-8P, 1-[2-[3,6-Difluoro-4-quinolinyl]ethyl]-N-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-4-piperidinamine dihydrochloride 724791-93-9P,
 6-[[[1-[2-[3,6-Difluoroquinolin-4-yl]ethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724791-94-0P,
 1-[2-[3-Chloro-6-fluoro-5-(methoxy)-4-quinolinyl]ethyl]-N-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-4-piperidinamine dihydrochloride 724791-95-1P, 1-[2-(6-Chloro-3-fluoro-4-quinolinyl)ethyl]-4-[[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-N-methyl-4-piperidinecarboxamide dihydrochloride 724791-96-2P,
 (3S,4S)-4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-3-piperidinol dihydrochloride 724791-97-3P, N-[(3S,4S)-2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-hydroxy-4-(piperidin-1-yl)]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide hydrochloride 724791-98-4P,
 trans-6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-hydroxy-3-methyl-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724791-99-5P, Trans-4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-methyl-3-piperidinol dihydrochloride 724792-00-1P, 6-[[[trans-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-hydroxy-4-methyl-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724792-01-2P,
 Trans-4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-methyl-3-piperidinol dihydrochloride 724792-03-4P, N-[(3,4-Dihydro-2H-pyranol[2,3-c]pyridin-6-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinamine dihydrochloride 724792-04-5P, 6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-05-6P,
 (3R,4R)-4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-

[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-3-piperidinol dihydrochloride 724792-06-7P, (3R,4R)-6-[[[1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-07-8P, (3R,4R)-N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide hydrochloride 724792-09-0P, N-[(3R,4R)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazine-6-carboxamide hydrochloride 724792-10-3P, (3R,4R)-N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]-2,3-dihydro-[1,4]dioxino[2,3-c]pyridine-7-carboxamide hydrochloride 724792-11-4P, 6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-4-methyl-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-12-5P, 6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-4-methyl-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724792-13-6P, N-[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-4-methyl-4-piperidinamine dihydrochloride 724792-14-7P, N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-4-methyl-4-piperidinyl]-2,3-dihydro-1,4-benzodioxin-6-sulfonamide 724792-15-8P, cis-6-[[[1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724792-16-9P, (+)-cis-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-3-fluoro-4-piperidinamine dihydrochloride 724792-17-0P, (-)-cis-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]-3-fluoro-4-piperidinamine dihydrochloride 724792-18-1P, (+)-cis-6-[[[1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-19-2P, (-)-cis-6-[[[1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-20-5P, (+)-cis-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]-3-fluoro-4-piperidinamine dihydrochloride 724792-21-6P, (-)-cis-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-N-[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]-3-fluoro-4-piperidinamine dihydrochloride 724792-22-7P, (+)-cis-6-[[[1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724792-23-8P, (-)-cis-6-[[[1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724792-24-9P, cis-N-[1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-3-fluoro-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide hydrochloride 724792-25-0P, 6-[[[[(3S,4R)-1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724792-26-1P, trans-6-[[[1-[2-(3-Chloro-6-methoxy-[1,5]naphthyridin-4-yl)ethyl]-3-hydroxypiperidin-4-yl]amino]methyl]-4H-pyrido[3,2-b][1,4]oxazin-3-one trihydrochloride 724792-27-2P, (-)-2-[4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]-1-[3-fluoro-6-(methoxy)-4-quinolinyl]ethanol dihydrochloride 724792-28-3P, (3S,4R)-4-[[[2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-piperidinol dihydrochloride 724792-29-4P, (3R,4S)-1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-4-[[[[(1,3]oxathiol[5,4-c]pyridin-6-yl)methyl]amino]-3-piperidinol dihydrochloride 724792-30-7P,


(3S,4R)-1-[2-(3,6-Dichloro-4-quinolinyl)ethyl]-4-[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-piperidinol dihydrochloride 724792-31-8P, 6-[[[(3S,4R)-1-[2-(3,6-Dichloroquinolin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724792-32-9P, (3S,4R)-1-[2-(3-Chloro-6-fluoro-4-quinolinyl)ethyl]-4-[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-piperidinol dihydrochloride 724792-33-0P, 6-[[[(3S,4R)-1-[2-(3-Chloro-6-fluoroquinolin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]thiazin-3(4H)-one dihydrochloride 724792-34-1P, N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-methyl-4-piperidinyl]-2,3-dihydro-[1,4]dioxino[2,3-c]pyridine-7-carboxamide dihydrochloride 724792-35-2P, N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-methyl-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazine-6-carboxamide 724792-36-3P, N-[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-methyl-4-piperidinyl]-3-oxo-3,4-dihydro-2H-pyrido[3,2-b][1,4]thiazine-6-carboxamide 724792-37-4P, trans-6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-hydroxy-3-methyl-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-38-5P, (3R,4R)-4-[[2,3-Dihydro-1,4-benzodioxin-6-ylmethyl]amino]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-3-piperidinol dihydrochloride 724792-39-6P, (3S,4S)-4-[[2,3-Dihydro-1,4-benzodioxin-6-ylmethyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-piperidinol dihydrochloride 724792-40-9P, (3R,4R)-4-[[2,3-Dihydro-1,4-benzodioxin-6-ylmethyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-3-piperidinol dihydrochloride 724792-41-0P, (3S,4R)-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-piperidinol dihydrochloride 724792-42-1P, (3S,4R)-1-[2-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-[[2,3-dihydro-1,4-benzodioxin-6-ylmethyl]amino]-3-piperidinol dihydrochloride 724792-43-2P, N-[[2,3-Dihydrobenzo[b]furan-5-yl)methyl]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]ethyl]-4-piperidinamine dihydrochloride 724792-44-3P, (+)-6-[[[1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-45-4P, (-)-6-[[[1-[2-[3-Fluoro-6-(methoxy)quinolin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-46-5P, (+)-6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-47-6P, (-)-6-[[[1-[2-[3-Fluoro-6-(methoxy)-1,5-naphthylidin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-48-7P, (+)-6-[[[1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-49-8P, (-)-6-[[[1-[2-[3-Chloro-8-fluoro-6-(methoxy)quinolin-4-yl]-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one dihydrochloride 724792-50-1P, (+)-1-[3-Chloro-8-fluoro-6-(methoxy)-4-quinolinyl]-2-[4-[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]ethanol dihydrochloride 724792-51-2P, (-)-1-[3-Chloro-8-fluoro-6-(methoxy)-4-quinolinyl]-2-[4-[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]ethanol dihydrochloride 724792-52-3P, (+)-1-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]-2-[4-[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]ethanol dihydrochloride 724792-53-4P, (-)-1-[3,8-Difluoro-6-(methoxy)-4-quinolinyl]-2-[4-[[2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-

yl)methyl]amino]-1-piperidinyl]ethanol dihydrochloride
 724792-54-5P, (-)-1-[3-Chloro-6-(methoxy)-4-quinolinyl]-2-[4-
 [[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-
 piperidinyl]ethanol dihydrochloride 724792-55-6P,
 (+)-1-[3-Chloro-6-(methoxy)-4-quinolinyl]-2-[4-[[(2,3-dihydro-
 [1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]ethanol
 dihydrochloride 724792-56-7P, (-)-1-[3-Chloro-6-(methoxy)-1,5-
 naphthyridin-4-yl]-2-[4-[[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-
 yl)methyl]amino]-1-piperidinyl]ethanol dihydrochloride
 724792-57-8P, 2-[4-[[(2,3-Dihydro-[1,4]dioxino[2,3-c]pyridin-7-
 yl)methyl]amino]-3-fluoro-1-piperidinyl]-1-[3-fluoro-6-(methoxy)-1,5-
 naphthyridin-4-yl]ethanol dihydrochloride 724792-58-9P,
 7-[[[1-[2-[3,8-Difluoro-6-(methoxy)quinolin-4-yl]ethyl]-3-fluoro-4-
 piperidinyl]amino]methyl]-1H-pyrido[2,3-b][1,4]thiazin-2(3H)-one
 dihydrochloride 724794-11-0P, (+)-2-[4-[[(2,3-Dihydro-
 [1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl]-1-[3-fluoro-6-
 (methoxy)-4-quinolinyl]ethanol dihydrochloride 724794-37-0P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
 (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
 (Uses)

(antibacterial agent; preparation of quinolines and 1,5-naphthyridines as
 antibacterial agents)

RN 724791-75-7 CAPLUS


CN 3-Cinnolinemethanamine, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-
 piperidinyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724791-76-8 CAPLUS

CN 2,1,3-Benzothiadiazole-5-methanamine, N-[1-[2-(3-fluoro-6-methoxy-4-
 quinolinyl)ethyl]-4-piperidinyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-77-9 CAPLUS
CN Thiazolo[5,4-b]pyridine-6-methanamine, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724791-78-0 CAPLUS
CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-methanamine, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-3,4-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

RN 724791-79-1 CAPLUS

CN 5-Benzothiazolemethanamine, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-80-4 CAPLUS


CN [1,2,3]Thiadiazolo[5,4-b]pyridine-6-methanamine, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-, dihydrochloride (9CI) (CA INDEX NAME)

10/539,931




● 2 HCl

RN 724791-81-5 CAPLUS
CN 1H-Pyrido[2,3-b][1,4]thiazin-2(3H)-one, 7-[[[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidiny]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-82-6 CAPLUS
CN 1,4-Dioxino[2,3-b]pyridine-7-methanamine, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidiny]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-83-7 CAPLUS
 CN [1,4]Oxathiino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724791-84-8 CAPLUS
 CN 4-Piperidinemethanol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]aminol]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

RN 724791-85-9 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-(hydroxymethyl)-4-piperidinyl]-3,4-dihydro-3-oxo-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 724791-86-0 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-3,4-dihydro-3-oxo-, monohydrochloride (9CI) (CA INDEX NAME)


10/539,931



● HCl

RN 724791-87-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-piperidinyl]-3,4-dihydro-3-oxo-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 724791-88-2 CAPLUS

CN 1H-Pyrido[2,3-b][1,4]thiazin-2(3H)-one, 7-[[[(3R,4S)-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724791-89-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724791-90-6 CAPLUS

CN 3-Piperidinol, 1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)ethyl]-4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, dihydrochloride, (3R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724791-91-7 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)-3-hydroxypropyl]-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-92-8 CAPLUS


CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3,6-difluoro-4-quinolinyl)ethyl]-4-piperidinyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)

10/539,931




● 2 HCl

RN 724791-93-9 CAPLUS
 CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3,6-difluoro-4-quinoliny)ethyl]-4-piperidiny]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl


RN 724791-94-0 CAPLUS
 CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-chloro-6-fluoro-5-methoxy-4-quinoliny)ethyl]-4-piperidiny]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

RN 724791-95-1 CAPLUS

CN 4-Piperidinecarboxamide, 1-[2-(6-chloro-3-fluoro-4-quinolinyl)ethyl]-4-
[[2-(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-N-methyl-,
dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724791-96-2 CAPLUS

CN 3-Piperidinol, 4-[[2-(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-
yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-,
dihydrochloride, (3S,4S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/539,931




● 2 HCl

RN 724791-97-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[(3S,4S)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-3-oxo-, hydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● x HCl

RN 724791-98-4 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-3-methyl-4-piperidinyl]amino]methyl]-, dihydrochloride, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● 2 HCl

RN 724791-99-5 CAPLUS

CN 3-Piperidinol, 4-[[{(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl}amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-methyl-, dihydrochloride, (3R,4S)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● 2 HCl

RN 724792-00-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-methyl-4-piperidinyl]amino]methyl]-, dihydrochloride, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

10/539,931




● 2 HCl

RN 724792-01-2 CAPLUS

CN 3-Piperidinol, 4-[[{(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-methyl-, dihydrochloride, (3R,4R)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● 2 HCl


RN 724792-03-4 CAPLUS

CN 2H-Pyrano[2,3-c]pyridine-6-methanamine, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3,4-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

RN 724792-04-5 CAPLUS
 CN 2H-Pyrido[3,2-b]1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724792-05-6 CAPLUS
 CN 3-Piperidinol, 4-[[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-, dihydrochloride, (3R,4R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/539,931




● 2 HCl

RN 724792-06-7 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724792-07-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[(3R,4R)-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-3-oxo-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● HCl

RN 724792-09-0 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazine-6-carboxamide, N-[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-3,4-dihydro-3-oxo-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● HCl

RN 724792-10-3 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-carboxamide, N-[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● HCl

RN 724792-11-4 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-methyl-4-piperidyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

RN 724792-12-5 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-methyl-4-piperidyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

RN 724792-13-6 CAPLUS


CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-methyl-4-piperidyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

RN 724792-14-7 CAPLUS


CN 1,4-Benzodioxin-6-sulfonamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-methyl-4-piperidyl]-2,3-dihydro- (CA INDEX NAME)



RN 724792-15-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-, dihydrochloride, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● 2 HCl

RN 724792-16-9 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]-2,3-dihydro-, dihydrochloride, rel-(+)- (9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown.




● 2 HCl

RN 724792-17-0 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-methanamine, N-[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinoliny)ethyl]-3-fluoro-4-piperidiny]-2,3-dihydro-, dihydrochloride, rel-(-)- (9CI) (CA INDEX NAME)

Rotation (-). Absolute stereochemistry unknown.




● 2 HCl

RN 724792-18-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinoliny)ethyl]-3-fluoro-4-piperidiny]amino]methyl]-, dihydrochloride, rel-(+)- (9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown.




● 2 HCl

RN 724792-19-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-, dihydrochloride, rel-(-)- (9CI) (CA INDEX NAME)

Rotation (-). Absolute stereochemistry unknown.




● 2 HCl

RN 724792-20-5 CAPLUS

CN 4-Piperidinamine, 1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-N-[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]-3-fluoro-, dihydrochloride, (3R,4S)-rel-(+)- (9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown.




● 2 HCl

RN 724792-21-6 CAPLUS

CN 4-Piperidinamine, 1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-N-[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]-3-fluoro-, dihydrochloride, (3R,4S)-rel-(-)- (9CI) (CA INDEX NAME)

Rotation (-). Absolute stereochemistry unknown.




● 2 HCl

RN 724792-22-7 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-, dihydrochloride, rel-(+)- (9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown.




● 2 HCl

RN 724792-23-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-, dihydrochloride, rel-(-)- (9CI) (CA INDEX NAME)

Rotation (-). Absolute stereochemistry unknown.




● 2 HCl

RN 724792-24-9 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[[[(3R,4S)-1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-3-fluoro-4-piperidinyl]-3,4-dihydro-3-oxo-, monohydrochloride, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● HCl

RN 724792-25-0 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724792-26-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, trihydrochloride, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10/539,931



● 3 HCl

RN 724792-27-2 CAPLUS
 CN 4-Quinolinemethanol, α -[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-3-fluoro-6-methoxy-, dihydrochloride, (-)- (9CI) (CA INDEX NAME)


Rotation (-).



● 2 HCl

RN 724792-28-3 CAPLUS
 CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride, (3S,4R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724792-29-4 CAPLUS
 CN 3-Piperidinol, 1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-
 [([1,3]oxathiol[5,4-c]pyridin-6-ylmethyl)amino]-, dihydrochloride,
 (3R,4S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724792-30-7 CAPLUS
 CN 3-Piperidinol, 1-[2-(3,6-dichloro-4-quinolinyl)ethyl]-4-[[2,3-dihydro-1,4-
 dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, dihydrochloride, (3S,4R)- (9CI)
 (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724792-31-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3,6-dichloro-4-quinolinyl)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724792-32-9 CAPLUS

CN 3-Piperidinol, 1-[2-(3-chloro-6-fluoro-4-quinolinyl)ethyl]-4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, dihydrochloride, (3S,4R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/539,931




● 2 HCl

RN 724792-33-0 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-fluoro-4-quinolinyloxy)ethyl]-3-hydroxy-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724792-34-1 CAPLUS

CN 1,4-Dioxino[2,3-c]pyridine-7-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-methyl-4-piperidinyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)


10/539,931



● 2 HCl

RN 724792-35-2 CAPLUS


CN 2H-Pyrido[3,2-b]-1,4-oxazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-methyl-4-piperidiny]-3,4-dihydro-3-oxo-
(CA INDEX NAME)



RN 724792-36-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazine-6-carboxamide, N-[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-methyl-4-piperidiny]-3,4-dihydro-3-oxo-
(CA INDEX NAME)


10/539,931



RN 724792-37-4 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[(3R,4R)-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-3-hydroxy-3-methyl-4-piperidinyl]amino]methyl]-, dihydrochloride, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● 2 HCl

RN 724792-38-5 CAPLUS

CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinoliny)ethyl]-, monohydrochloride, (3R,4R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● HCl

RN 724792-39-6 CAPLUS
 CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride, (3S,4S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724792-40-9 CAPLUS
 CN 3-Piperidinol, 4-[[[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride, (3R,4R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

10/539,931




● 2 HCl

RN 724792-41-0 CAPLUS

CN 3-Piperidinol, 1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-[[[(2,3-dihydro-1,4-benzodioxin-7-yl)methyl]amino]-, dihydrochloride, (3S,4R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● 2 HCl

RN 724792-42-1 CAPLUS

CN 3-Piperidinol, 1-[2-(3,8-difluoro-6-methoxy-4-quinolinyl)ethyl]-4-[[[(2,3-dihydro-1,4-benzodioxin-6-yl)methyl]amino]-, dihydrochloride, (3S,4R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● 2 HCl

RN 724792-43-2 CAPLUS

CN 4-Piperidinamine, N-[(2,3-dihydro-5-benzofuranyl)methyl]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 724792-44-3 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-4-quinoliny)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).

10/539,931




● 2 HCl

RN 724792-45-4 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-4-quinoliny)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride, (-)-(9CI) (CA INDEX NAME)

Rotation (-).




● 2 HCl

RN 724792-46-5 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride, (+)-(9CI) (CA INDEX NAME)

Rotation (+).

10/539,931




● 2 HCl

RN 724792-47-6 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).




● 2 HCl

RN 724792-48-7 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]-, dihydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).

10/539,931




●2 HCl

RN 724792-49-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[1-[2-(3-chloro-8-fluoro-6-methoxy-4-quinolinyl)-2-hydroxyethyl]-4-piperidiny]amino]methyl]-, dihydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).




●2 HCl

RN 724792-50-1 CAPLUS

CN 4-Quinolinemethanol, 3-chloro- α -[[4-[[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidiny]methyl]-8-fluoro-6-methoxy-, dihydrochloride, (+)- (9CI) (CA INDEX NAME)

10/539,931

Rotation (+).




● 2 HCl

RN 724792-51-2 CAPLUS

CN 4-Quinolinemethanol, 3-chloro- α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidiny]methyl]-8-fluoro-6-methoxy-, dihydrochloride, (-)-(9CI) (CA INDEX NAME)

Rotation (-).



● 2 HCl


RN 724792-52-3 CAPLUS

CN 4-Quinolinemethanol, α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-

10/539,931

7-yl)methyl]amino]-1-piperidinyl)methyl]-3,8-difluoro-6-methoxy-,
dihydrochloride, (+)- (9CI) (CA INDEX NAME)


Rotation (+).



● 2 HCl

RN 724792-53-4 CAPLUS
CN 4-Quinolinemethanol, α -[[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-3,8-difluoro-6-methoxy-,
dihydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).




● 2 HCl

10/539,931

RN 724792-54-5 CAPLUS

CN 4-Quinolinemethanol, 3-chloro- α -[[4-[[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-6-methoxy-, dihydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).




● 2 HCl

RN 724792-55-6 CAPLUS

CN 4-Quinolinemethanol, 3-chloro- α -[[4-[[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-6-methoxy-, dihydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).



● 2 HCl


RN 724792-56-7 CAPLUS

CN 1,5-Naphthyridine-4-methanol, 3-chloro- α -[[4-[[[2,3-dihydro-1,4-

10/539,931

dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidinyl)methyl]-6-methoxy-, dihydrochloride, (-)- (9CI) (CA INDEX NAME)


Rotation (-).



●2 HCl

RN 724792-57-8 CAPLUS

CN 1,5-Naphthyridine-4-methanol, α -[[4-[[2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-3-fluoro-1-piperidinyl)methyl]-3-fluoro-6-methoxy-, dihydrochloride (9CI) (CA INDEX NAME)




●2 HCl

RN 724792-58-9 CAPLUS

CN 1H-Pyrido[2,3-b][1,4]thiazin-2(3H)-one, 7-[[[1-[2-(3,8-difluoro-6-methoxy-4-quinoliny)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)


10/539,931



● 2 HCl

RN 724794-11-0 CAPLUS
 CN 4-Quinolinemethanol, α -[4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-piperidiny]methyl]-3-fluoro-6-methoxy-, dihydrochloride, (+)- (9CI) (CA INDEX NAME)


Rotation (+).




● 2 HCl

RN 724794-37-0 CAPLUS
 CN 3-Piperidinol, 1-[2-(3-chloro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-, (3R,4R)-rel- (CA INDEX NAME)


Relative stereochemistry.



- IT 724789-39-3P, Methyl 4-[[[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-4-quinolinyl]ethyl]-4-piperidinecarboxylate 724789-76-8P, 1,1-Dimethylethyl [[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl][1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]-2-hydroxyethyl]-4-piperidinyl]carbamate 724789-83-7P, Cis-Ethyl 4-[[[(2,3-dihydro-[1,4]dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-[3-fluoro-6-(methoxy)-1,5-naphthyridin-4-yl]ethyl]-3-piperidinecarboxylate
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (intermediate; preparation of quinolines and 1,5-naphthyridines as antibacterial agents)
- RN 724789-39-3 CAPLUS
- CN 4-Piperidinecarboxylic acid, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-4-quinolinyl)ethyl]-, methyl ester (CA INDEX NAME)




- RN 724789-76-8 CAPLUS
- CN Carbamic acid, [[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl][1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)-2-hydroxyethyl]-4-piperidinyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



RN 724789-83-7 CAPLUS

CN 3-Piperidinecarboxylic acid, 4-[[[(2,3-dihydro-1,4-dioxino[2,3-c]pyridin-7-yl)methyl]amino]-1-[2-(3-fluoro-6-methoxy-1,5-naphthyridin-4-yl)ethyl]-, ethyl ester, (3R,4S)-rel- (CA INDEX NAME)

Relative stereochemistry.



L4 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2003:610449 CAPLUS

DN 139:164798

TI Preparation of aminopiperidine derivatives for treatment of bacterial infections

IN Miller, William Henry; Pearson, Neil David; Pendrak, Israil; Seefeld, Mark Andrew

PA Glaxo Group Limited, UK; Daines, Robert A

SO PCT Int. Appl., 96 pp.

CODEN: PIXXD2


DT Patent

LA English

FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------|--|--|----------|-----------------|----------|
| PI | WO 2003064421 | A1 | 20030807 | WO 2003-EP823 | 20030127 |
| | W: | AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW | | | |
| | RW: | GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | |
| | EP 1470125 | A1 | 20041027 | EP 2003-734701 | 20030127 |
| | R: | AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK | | | |
| | JP 2005525324 | T | 20050825 | JP 2003-564044 | 20030127 |
| | US 2005159411 | A1 | 20050721 | US 2004-502233 | 20040722 |
| | US 7312212 | B2 | 20071225 | | |
| PRAI | GB 2002-2026 | A | 20020129 | | |
| | GB 2002-29824 | A | 20021220 | | |
| | WO 2003-EP823 | W | 20030127 | | |
| OS | MARPAT 139:164798 | | | | |
| IT | 577692-12-7P 577692-13-8P 577692-14-9P | | | | |
| | 577692-32-1P 577692-33-2P | | | | |
| | RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) | | | | |
| | (preparation of aminopiperidine derivs. for treatment of bacterial infections) | | | | |
| RN | 577692-12-7 CAPLUS | | | | |
| CN | 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[3-fluoro-1-[(2R)-2-(8-fluoro-6-methoxy-4-quinolinyl)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME) | | | | |


Absolute stereochemistry.



RN 577692-13-8 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(3-chloro-6-methoxy-4-quinoliny)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 577692-14-9 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(3-chloro-6-methoxy-4-quinoliny)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 577692-32-1 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3R,4S)-1-[2-(6,8-difluoro-4-quinoliny)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]- (CA INDEX NAME)


Absolute stereochemistry.



RN 577692-33-2 CAPLUS

CN 2H-Pyrido[3,2-b]-1,4-thiazin-3(4H)-one, 6-[[[(3S,4R)-1-[2-(6,8-difluoro-4-quinoliny)ethyl]-3-fluoro-4-piperidinyl]amino]methyl]- (CA INDEX NAME)

Absolute stereochemistry.



IT 577692-10-5P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation of aminopiperidine derivs. for treatment of bacterial
 infections)

RN 577692-10-5 CAPLUS

10/539,931

CN 2H-Pyrido[3,2-b]-1,4-oxazin-3(4H)-one, 6-[[[3-fluoro-1-[(2R)-2-(8-fluoro-6-methoxy-4-quinoliny)-2-hydroxyethyl]-4-piperidinyl]amino]methyl]- (CA INDEX NAME)

Absolute stereochemistry.



RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2002:90042 CAPLUS

DN 136:151082

TI Preparation of aminopiperidine quinolines and their azaisosteric analogs having antibacterial activity

IN Davies, David Thomas; Jones, Graham Elgin; Lightfoot, Andrew P.; Markwell, Roger Edward; Pearson, Neil David

PA Smithkline Beecham P.L.C., UK

SO PCT Int. Appl., 80 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------|----------|
| PI WO 2002008224 | A1 | 20020131 | WO 2001-EP8604 | 20010725 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW | | | | |
| RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | | |
| CA 2417192 | A1 | 20020131 | CA 2001-2417192 | 20010725 |
| EP 1305308 | A1 | 20030502 | EP 2001-969509 | 20010725 |
| EP 1305308 | B1 | 20061220 | | |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR | | | | |
| BR 2001012750 | A | 20030909 | BR 2001-12750 | 20010725 |
| JP 2004504397 | T | 20040212 | JP 2002-514130 | 20010725 |
| NZ 523749 | A | 20050324 | NZ 2001-523749 | 20010725 |
| HU 2003000721 | A2 | 20050829 | HU 2003-721 | 20010725 |
| AT 348826 | T | 20070115 | AT 2001-969509 | 20010725 |
| ES 2278778 | T3 | 20070816 | ES 2001-1969509 | 20010725 |
| ZA 2003000589 | A | 20040422 | ZA 2003-589 | 20030122 |
| NO 2003000345 | A | 20030310 | NO 2003-345 | 20030123 |
| MX 2003PA00708 | A | 20030604 | MX 2003-PA708 | 20030123 |
| IN 2003MN00103 | A | 20050204 | IN 2003-MN103 | 20030123 |
| US 2004038998 | A1 | 20040226 | US 2003-333829 | 20030828 |
| US 6962917 | B2 | 20051108 | | |
| US 2006014749 | A1 | 20060119 | US 2005-219148 | 20050902 |
| PRAI GB 2000-18351 | A | 20000726 | | |
| GB 2001-1629 | A | 20010122 | | |
| WO 2001-EP8604 | W | 20010725 | | |
| US 2003-333829 | A3 | 20030828 | | |

OS MARPAT 136:151082


IT 394223-26-8P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (preparation of aminopiperidine quinolines and their azaisosteric analogs having antibacterial activity)

RN 394223-26-8 CAPLUS

CN 4-Quinolinemethanol, α -[[4-[[[(3R)-2,3-dihydro-1,4-dioxino[2,3-b]pyridin-3-yl]methyl]amino]-1-piperidinyl]methyl]-8-fluoro-6-methoxy-, (α R)- (CA INDEX NAME)

Absolute stereochemistry.



IT 394223-27-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)

(preparation of aminopiperidine quinolines and their azaisosteric analogs
having antibacterial activity)

RN 394223-27-9 CAPLUS


CN 4-Quinolinemethanol, α -[[4-[[[(3R)-2,3-dihydro-1,4-dioxino[2,3-
b]pyridin-3-yl)methyl]amino]-1-piperidinyl)methyl]-8-fluoro-6-methoxy-,
(α R)-, ethanedioate (1:2) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 394223-26-8

CMF C25 H29 F N4 O4

Absolute stereochemistry.



CM 2

10/539,931

CRN 144-62-7
CMF C2 H2 O4



RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/539,931

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

15.48

194.51

STN INTERNATIONAL LOGOFF AT 08:52:25 ON 28 JAN 2008